



TZ-CERT HONEYPOTS WEEKLY REPORT
Period : 30th July to 5th of August, 2023
Report No.: TZ-CERT/WRHP/2023/31

1. NETWORK ATTACKS

A total of **64,231** attacks have been recorded compared to last week **75,026** attacks within the period of this report. The top 10 Network attacks with malicious IPs, commonly used usernames and passwords is as in **table1** below:

SN	ATTACKING IPS	USERNAMES	PASSWORDS
1.	218.92.0.123	root	1qaz@wsx
2.	193.105.134.95	admin	postgres
3.	93.117.25.39	guest	root123
4.	170.64.177.134	ftpuser	password
5.	218.92.0.56	hadoop	admin123
6.	59.173.31.105	support	P@ssw0rd
7.	185.246.128.133	tomcat	123456
8.	185.210.227.13	jenkins	qweqwe123
9.	203.192.217.52	oracle	PlcmSplp
10.	101.32.218.115	postgres	devops

Table1: Top 10 Network attacking IP

Most of the usernames and passwords listed are commonly used, thus its advised review of usernames and password be made to avoid use of the above listed credentials and default ones. Use of password policies is the best practice.

2. MALICIOUS SOFTWARE (MALWARE)

During the week the sensors recorded, a total of **164,841** malicious software distributed compared to last week in which was **221,577**.

Below listed are top ten malicious software and their hashes.

SN	ATTACKING IPS	MALICIOUS SOFTWARE	HASHES(SHA256)
1.	41.59.194.240	Trojan:Script/Wacatac.B! ml	141e2d75c8ee93b8440 b203491d1310db4e69a 3ff1c76397583833f77cb d4927
2.	196.41.210.118	Linux.Xorddos	ea40ecec0b30982fbb16 62e67f97f0e9d6f43d2d5 87f2f588525fae683abea 73
3.	41.59.211.41	trojan.hajime/linux	ad14c1c5e519cbe4b45 697eebd2b8de306d67b 74cd3e04cd282b6f96d9 e47cb9

4.	41.59.203.192	Downloader.Trojan	ad14c1c5e519cbe4b45697eebd2b8de306d67b74cd3e04cd282b6f96d9e47cb9
5.	177.222.46.2	HEUR:Trojan-Downloader.Shell.Agent.a	46ff9f7c0e437df7dd6e1c69790c8fc94e65091e9f3cf1f3243c808f1a1e8621
6.	196.221.171.160	Linux/DDoS-CIF	b4450587b34bf630f24ec1a735e9b2d6c64d7c0050cdf1f807ec95feed7211d4
7.	113.161.196.19	trojan.linux/hajime	ea40ecec0b30982fbb1662e67f97f0e9d6f43d2d587f2f588525fae683abea73
8.	196.188.35.133	trojan.linux/malxmr	bbb06ba693b01a90afa8f0552a33991a800ee051b667eafe5afdb1caa4c8861e
9.	5.25.174.87	trojan.linux/uselvk422	c29dc96f96e7d23e18b4cb242dc404a22b5bfc39dd4489a24c30b942ef52742a
10.	2.186.13.62	trojan.linux	f9dd7e02a76377e7e61e1283ac8acc44afc39ffcd71fac362654649e1f524831

Table2: Top 10 Malicious attacking IP

3. WEB ATTACKS

During the week the sensors recorded a total of **1,018** web attacks compared to last week which was **1,296**.

From the table the top 10 web-based attacks and their associated requests sent to web servers for the period between 30th July to 5th of August, 2023, are detailed. The requests are the payloads.

SN	ATTACKING IPS	TOP URI
1.	20.203.98.250	//admin/config.php
2.	185.210.157.78	/
3.	120.79.48.81	/users/sign_in
4.	83.97.73.87	/favicon.ico
5.	60.217.75.70	/.env
6.	103.111.120.248	/robots.txt

7.	109.237.96.251	/sitemap.xml
8.	155.12.23.110	/assets/favicon-7901bd695fb93edb07975966062049829afb56cf11511236e61bcf425070e36e.png
9.	109.237.96.124	/.well-known/security.txt
10.	128.1.34.58	/vendor/phpunit/phpunit/src/Util/PHP/eval-stdin.php

Table3: Top 10 web attacking IP

4. RECOMMENDATIONS

The Honeypot sensors have recorded IP addresses with most common malware used in the world today. Monitoring of the listed IP address is advised and further to: -

- 4.1 Note that most of malicious IP addresses captured are also listed as malicious IP addresses in other sources that are also observing security attacks; thus, security measures should be considered to counter act, including monitoring of the IPs in networks. Most likely the same resources might be used for further attacks.
- 4.2 Discourage usage of listed login resources (usernames and passwords) and consider deploying mechanisms to monitor login attempts.
- 4.3 Thoroughly check for suspicious files of hashes listed in **Table 2**.
- 4.4 Deploy Intrusion Detection System (IDS) and configure to flag detection of attacks associated with list of resources provided especially the IP addresses and the web requests.